Name	PP+PE Disposable Isolation Gown				
Material	PP+PE Coating				
Weight	30-45GSM				
MOQ	10,000PCS				
Packing	Normally,1pcs/polybag, 50pcs/ctn				
Delivery	Within 2 weeks				
Features	Waterproof/non-sterile				

## \*Application

COMMON USES in clinics, hospitals, laboratories, workshops,etc. For general isolation and protection.

## \*Safety and Anti-Epidemic Medical-Grade Fabric

Lightweight multi-ply material that is fluid-resistant and breathable Safe and strong enough for personal protection Gowns are generously sized for full coverage With waist and neck ties to ensure secure fit With elastic or knit cuffs

























## 武汉海关技术中心 Technology Center Of Wuhan Customs District 检测报告 Report Test

申报样品名称:一次性隔离衣(非医用) Name of sample declared: Disposable isolation gown(non-medical use 报告编号(No.of Series): 21202000746-1 报告日期 (Date): 2020-05-15 报告页数 (Page): 共1页 第1页

委托人: 湖北君橙服饰有限公司 Consignor: HUBEI ORANGE FASHION CO., LTD 样品来源:委托人送样 Origin of sample: Delivering by Consignor 检测项目及结果: Item inspected and its data:

接样日期: 2020-05-12 Date of reception: 检测依据: GB 15979-2002 附录 B Method of inspection:

样品标记 Sample Mark 2# 样品编号 Sample No. 202003069 细菌菌落总数 Total bacterial count (CFU/g) 84 大肠菌群 Coliforms 未检出 ND \*\*\*\*\*\*

BLANK BELOW

签署(Signature):

Notice:1.本报告仅对到样负责。(It is only responsible for the sample received.)

2.未加盖检验检测报告专用章无效。(It is invalid without original seal of inspection & test report.)

3.未经本中心书面许可,不得部分复制报告。(It can not be copied separately without authorized permission.)

地址: 湖北省武汉市汉阳琴台大道 588 号

Add.: No.588Qin Tai Avenue, Hanyang, Wuhan, Hubei Province of P.R.C

电话 (Tel): 027-58905910; 58905912 传真 (Fax): 027-58905911

印章 (Seal):

以下空白

## 正本

の一般とろしろ



		亡检集团 GTTC		170000113982	や語礼町 開始度い TESTING CAAS LIDTH					
	<u> </u>									
	委托单位       武汉宝齐莱商贸有限公司         地址:湖北省武汉市江汉区淮海路泛海国际SOH0城8号楼1506室         一次性隔离衣(非医用)         4件         商标: BECOLOR         批号款号:批号: 20200516         款号: CF23156         颜色: 浅蓝         材质: 100%聚丙烯         号型规格: 0FSPC-XL         生产单位:湖北君橙服饰有限公司									
JE.	检验性质 判定依据	Q/OFGLY01-2020 《一次性隔离衣(非医用)》								
	综合检验 结论	2								
	检验检测结果	检: 断裂强力 断裂伸长率 抗渗水性	脸检测项目	判定依 Q/OFGLY01-2020 Q/OFGLY01-2020 Q/OFGLY01-2020	据	<u>判定</u> 符合 符合				
	备注	本报告中检验检测 复印件、副本未重 本报告检验检测地	项目均在相应标准规定的 新加盖报告书确认章无效。 址为广州市番禺区珠江路1	环境条件下进行(有注 号。	明的除外)。	NUE	0			
		<u>到</u> 工程师 11市番禺区珠江路1号 2:广州市花都区狮岭镇	<b>い</b> 風 旗幹河案西路1号		电话:020-6199455 电话:020-3772116		Er			







检验检测报告附页 (电子版)

No:200128094

No:200128094 共3页 第3页							
检验检测项目 (计量单位) [样品识别]	测试方法	标准值及允差	检验检测结果	判定	备注		
●断裂强力(N)	GB/T 3923.1-2013 夹距:100mm 速度:100mm/min	纵向 ≥10 横向 ≥10	纵向 49 横向 95	符合	注		
●断裂伸长率(%)	GB/T 3923.1-2013 夹距:100mm 速度:100mm/min	纵向 ≥15 横向 ≥15	纵向 101 横向 115	符合	注		
●抗渗水性 (cmH <sub>2</sub> 0)	GB/T 4744-2013 增压法:60cmH <sub>2</sub> 0/min 水温:20.0℃ 正面向下接触水面	≥10	1# 71.3 2# 73.9 3# 36.4 4# 64.5 5# 68.6 平均值 62.9	符合	注		
RE	1	.0	E.C.				
					C		
备 注:判定指标 盖Q/OFGLY01	示来源于客户要求的企业 2020所检项目。	标准(Q/OFGLY01-2020)。	我单位获CMA认定授权的检验	能力覆	_		
注		E	ĸ	11 27 2			
		本报告结束—	一	认证集 □ 1 2 章 检测专用章 (GF2)	田田小山		
总部:广州市番禺 花都实验室:广州	I区珠江路1号 市花都区狮岭镇旗岭河滨西路1	r10	电话:020-61994598/ 电话:020-37721161	61994599			

PP+PE disposable isolation gown